Job Submission Information Model

http://www.isi.edu/~flon/cgs-wg/jsim.doc

Status of This Memo

This memo provides information to the Grid community on a Job Submission Information Model based on DMTF's Common Information Model schema. Distribution is unlimited.

Comments and suggestions on this document are encouraged and should be sent to the CIM Grid Schema work group discussion list:

cgs-wg@gridforum.org

This is a work in progress. The document is version 0.2 dated 5 June 2003 3:35:29 PM.

Copyright Notice

Copyright © Global Grid Forum (2002). All Rights Reserved.

Abstract

This document describes the Job Submission Interface Model. It is based on the "job" schema in DMTF's Common Information Model (CIM), version 2.7 preliminary. It includes a UML diagram of the classes associated with job submission, the managed object format (MOF) for those classes, and an XML representation of the UML.

The keywords "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED" and "MAY" used in this document are to be interpreted as described in [RFC2119].

Contents

Abstract1		
1.	Overview	2
2.	Introduction to the Model	2
3.	UML	3
4.	Discussion of the Model Elements	3
5.	Managed Object Format (MOF)	6
6.	XMLError! Bookmark not define	d.
7.	Security Considerations	6
Author	Information	6
Glossa	ıry	6
Intellectual Property Statement		6
Full Copyright Notice		7
Ackno	Acknowledgements	
Refere	References	

1. Overview

The Job Submission Information Model (JSIM) describes the managed objects and their relationships for managing the execution and monitoring of batch jobs in a grid environment. The CIMv2.7 preliminary schema for jobs and processing is the foundation for the development of this model.

It is our recommendation that grid (batch) scheduling systems act as information providers to a CIMOM (CIM Object Manager), so that any CIM browser can be used to inspect the status of queues and jobs on a grid resource, regardless of the brand of scheduler being utilized. The model defined herein represents our current thinking on the CIM extensions necessary to represent this data.

We also suggest, as a strawman, an XML schema that could be used by OGSI-compliant Grid Services to exchange the information in the model presented.

2. Introduction to the Model

The new elements of the model (on top of base CIM 2.8 classes) are: BatchService, BatchSAP, BatchJob, BatchJobGroup, GroupOfSystems, and JobRecoverySettingData. In addition, attributes have been added to existing CIM classes: JobQueue and QueueStatisticalData.

The basics of JSIM is that a BatchService (there can be one more more hosted in a single CIMOM) represents the root of information for a job scheduling system. A BatchService can host any number of JobQueue's, via the association QueueForBatchService.

The jobs on a JobQueue are represented by a BatchJobGroup, which is a CIM Collection. Each item of the BatchJobGroup is a BatchJob. The BatchJob class inherits from the CIM ConcreteJob and CIM Job, and we have added associations ExecutionTarget and ExecutionCandidate between BatchJob and CIM System.

It is thus possible to locate all of the BatchService's in the CIMOM, all of their JobQueue's, and the BatchJob's on those queues. It is likewise possible, from the point of view of a BatchJob, to find the JobQueue and BatchService it is associated with.

Related aspects of the model include GroupOfSystems, which is a CIM Collection of CIM System's. This facilitates the allocation of a job scheduler to a group of computer systems in a cluster, a group of processors on a single computer, etc.

A BatchJob can reference JobRecoverySettingData through the association JobRecoveryJob. This allows the representation of job recovery and/or restart information, although we do not now suggest what form this information should take.

BatchSAP specifies the batch submission procotols that BatchService uses. The relationship is through the association ServiceAccessBySAP.

The model elements are discussed in a bit more detail following the presentation of the UML, in Section 2.2. The official model in full detail is given in Section 2.3, Descriptions in the Managed Object Format (MOF.

This JSIM does not address nor specifically depend upon any resource model, e.g. cluster computing model. Nor does it address or depend upon any particular software or method for submitting jobs for execution. It contains the standard information and relationships that allow a wide range of grid execution systems to operate efficiently and effectively.

3. UML

The figure below depicts the classes and properties of the batch job schema. The new classes and properties are highlighted in this color (plum).



with the specific meaning that, while ConcreteJob refers to a job execution on the JobElement System, a BatchJob is on a batch queue and traceable in that fashion.

Contents:

- JobID (required) An arbitrary string (hopefully uniquely) identifying this job.
- MaxCPUTime The maximum amount of execution time on CPU this job is allowed.
- CPUTimeUsed The amount of execution time on CPU currently consumed by this job.
- BatchJobStatus
- TimeCompleted When this job finished.
- JobOrigination
- Task The execution command for this job.

4.1.2. BatchJobGroup

A BatchJobGroup inherits from CIM 2.8 Collection. BatchJob's are related through the associations OwningCollectionElement and OrderedMemberOfCollection.

Contents:

- InstanceID
 An arbitrary string uniquely identifying this job.
- GroupStatus:
- GroupStatusDescription

4.1.3. BatchService

A BatchService inherits from CIM 2.8 Service, and especially refers to a job scheduler system.

Contents:

- InstanceID
 - An arbitrary string uniquely identifying this service.

4.1.4. BatchSAP

This class inherits from CIM 2.8 ServiceAccessPoint, and specifies the protocols used to interact with the job scheduler service. The protocols are generic in this specification.

Contents:

- BatchProtocol A number connoting the specified protocol.
- BatchProtocolInfo An arbitrary string containing information specific to this protocol.
- 4.1.5. JobRecoverySettingData

This class inherits from CIM 2.8 JobSettingData, and adds the following.

Contents:

RecoverySetting

A number connoting the specified recovery mechanism in case of job failure. Some choices would be:

- (0) DoNotContinue, meaning stop the execution of the job stream (either a single job in queue or a job group in the queue) and put it in the 'stuck' state;
- (1) ContinueWithNextJob, meaning continue with next single job in queue or job in job group in queue recording job's status;
- (2) RerunJob, meaning re-run the job or job within the job group;
- (3) RunRecoveryJob, meaning run the job defined to run if
 - original job completes unsuccessfully.
- 4.1.6. GroupOfSystems

This class inherits from CIM 2.8 Collection, and represents a group of System elements. Certain job schedulers, in particular OpenPBS, use this concept.

Contents:

InstanceID

An arbitrary string uniquely identifying this group.

4.2. Classes Modified

4.2.1. JobQueue

The attribute MaxJobCPUTime is added, reflecting the maximum CPU time allowed to each individual job on this queue.

- 4.2.2. QueueStatisticalData The attributes RunningJobs and WaitingJobs are added. It is currently an open issue whether both of these are required, but at least one of them is.
- 4.3. New Associations
 - 4.3.1. ExecutionTarget This identifies the System that a BatchJob is slated to execute on.
 - 4.3.2. ExecutionCandidate This identifies the BatchJob's that are slated to run on a given System.
 - 4.3.3. QueueForBatchService This ties one or more JobQueue's to a BatchService.
 - 4.3.4. JobRecoveryJob This represents the recovery information for a given BatchJob.

5. Managed Object Format (MOF)

The schema is described in Managed Object Format, defined in [CIMspec].

TBD

6. XML

This section will hold the XML representation for the batch job schema.

7. Security Considerations

This specification defines the model and schema for job submission. While the interactions of job submission must be secured, the security details are outside the scope of this specification. Instead, it is assumed that security is addressed in specifications that define how this model and schema are bound to specific communication protocols (such as [CIMOPS] or [OGSA]) and programming environments.

Author Information

Ellen Stokes 11400 Burnet Rd Austin, TX 78758 Phone: +1 512 436 9098 Email: stokese@us.ibm.com Lawrence Flon USC/ISI 4676 Admiralty Way Marina Del Rey, CA 90292 Email: flon@isi.edu

Glossary

<insert glossary items>

Intellectual Property Statement

The GGF takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the GGF Secretariat.

The GGF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to practice this recommendation. Please address the information to the GGF Executive Director.

Full Copyright Notice

Copyright (C) Global Grid Forum (date). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the GGF or other organizations, except as needed for the purpose of developing Grid Recommendations in which case the procedures for copyrights defined in the GGF Document process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the GGF or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE GLOBAL GRID FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE."

Acknowledgements

<insert acknowledgements>

References

[RFC2119]

Bradner, Scott, "Key Words for use in RFCs to Indicate Requirement Levels", RFC 2119, http://www.ietf.org/rfc/rfc2119.txt

[CIM2.7prelim]

DMTF CIM Schema, Version 2.7 Preliminary, http://www.dmtf.org/standards/cim_schema_v27.php

[CIMspec]

DMTF, CIM Specification V2.2, http://www.dmtf.org/standards/documents/CIM/DSP0004.pdf

[CIMXML]

DMTF, Representation of CIM in XML, http://www.dmtf.org/standards/documents/CIM/DSP0201.pdf

[CIMLDAP]

DMTF, Guidelines for CIM-to-LDAP Directory Mapping, http://www.dmtf.org/standards/documents/DEN/DSP0100.pdf

[CIMOPS]

DMTF, CIM Operations over HTTP, http://www.dmtf.org/standards/documents/CIM/DSP0200.zip